Cooley/Commercial Graphics

WHERE SUSTAINABLE CHEMISTRY MAKES THE DIFFERENCE

AWNING

WEATHERTYTE® PLUS Lite

11 oz/yd² | 542 g/m²

Applications:

Commercial and Residential Awnings Pole Banners, Canopies, Umbrellas RV and Boat Covers

Widths Available Up to 74 in | 1.9 m

Added Benefits:

Embossed for high-quality, textured fabric look/feel Lightweight; improved flexibility Weather- and stain-resistant Watertight FR Certified

Solvent, UV, and Latex Printable

Weathertyte[®] PLUS Lite is a premium textured vinyl substrate designed for use in banner, awning, marine, and other specialty applications. It is optimized for use with Solvent, UV, and Latex printers. This revolutionary material offers the look, feel, and texture of fabric and offers superior printability, weatherability, and strength.

For further information, please contact Cooley Commercial Graphics:

Cooley Group 50 Esten Avenue Pawtucket, RI 02860 Tel: 401.724.9000 Email: cginfo@cooleygroup.com **cooleygroup.com**

WEATHERTYTE® PLUS Lite

AWNING

11 oz/yd² | 373 g/m²

TECHNICAL DATA

- Acrylic Topcoat
- 5-year Warranty

Decorative Methods: P.S. Vinyl, Silk Screen, Spray Paint, and Digitally Printable.

Basic Fabric	Standard	Metric	
Base Fabric Weight	2.7 oz/yd²	91 g/m²	
Fiber / Style	Polyester Low Wick Scrim		

Coated Fabric	Standard	Metric
Total Weight	11 oz/yd²	373 g/m²
Coating Type	PVC	
Sealing Properties	Dielectric	Thermal

Material Properties	ASTM Test Methods	Standard	Metric	
Tensile Strength, Grab (Warp)	D751-A	230 lbs	1,023 N	
Tensile Strength, Grab (Fill)	D751-A	150 lbs	667 N	
Tear Strength, Tongue (Warp)	D751-B (mod)	50 lbs	222 N	
Tear Strength, Tongue (Fill)	D751-B (mod)	30 lbs	133 N	
Screwdriver Puncture	D751	40 lbs	178 N	
Ball Puncture	D751	240 lbs	1,068 N	
Hydrostatic Resistance	D751-A	250 psi	1.7 MPa	
Abrasion Resistence (H18/1 kg)	D3389	200 cycles	200 cycles	
Low Temp Bend	D2136	-10°F	-23°C	
High Temp, Cont/Interm.	D1204	180 / 200°F	82 / 93°C	
Mildew/Fungus Resistance	G21	No Growth	No Growth	
Fire Resistance	E84 NFPA 701 (small scale) NFPA 701 (large scale)	Class A Pass Pass California State Fir	Pass	

.

Applicatio	ns					
Frontlit	Banner	Billboard	Blockout	Awnings	Displays	Year-Round Canopies
•	•			•	•	•

Ink Compatibility (all inks must be tested for compatibility)					
Solvent	Eco Solvent	UV	Screen Printing	Eradicable	Latex
•	•	•	•		•

The information contained herein or that is supplied by us, or on our behalf, is based upon data obtained through our own research and is considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data, the results obtained from the use thereof, or that any such use will not infringe upon any patent. This information is furnished upon the condition that the person receiving it shall evaluate its suitability for the specific application.

> For further information, please contact Cooley Commercial Graphics: 401.724.9000 or cginfo@cooleygroup.com

