## 20 oz/yd<sup>2</sup> | 680 g/m<sup>2</sup>

## **TECHNICAL DATA**

The performance benchmark for eradicable backlit flexible substrates, this resilient, 20-ounce product comes with a ten-year warranty\*. **COOLEY-BRITE® II** features the proven performance of our Cooley-Brite substrate with the added protection of our CoolThane® topcoat formulation, which enhances cleanability and extends the life of the product.

Roll Widths (custom widths available)			
Standard	Metric		
78 in	1.98 m		

Description				
Coating Type	PVC			
Scrim Type	Polyester 500 x 500 denier			

<b>Material Properties</b>	<b>ASTM Test Methods</b>	Standard	Metric		
Total Weight (nominal)		20 oz/yd²	680 g/m²		
Tensile Strength, Grab	D751-A	225 x 150 lbs	1000 x 667 N		
Tear Strength, Butterfly	D1004 (mod)	50 x 30 lbs	222 x 133 N		
Puncture, Screwdriver	D751	35 lbs	156 N		
Shrinkage (200°F)	D1204	< 1.5%			
Low Temp Bend	D2136	-20°F	-29°C		
High Temp, Cont / Interm.	1204	180 / 200°F	82 / 93°C		
Fungus Resistant	G21	Yes	Yes		
Weldable		Dielectric (RF) or	Dielectric (RF) or Thermal		
Flame Certifications	UL, NFPA 701, CSFM, ASTM E84 (Class A)				

Applications						
Backlit	Banner	Billboard	Blockout	Bldg Wrap	Displays	Truckside

Ink Compatibility (all inks must be tested for compatibility)						
Solvent	Eco Solvent	UV	Screen Printing	Dye Transfer	Dye Direct	Eradicable
	•	•	•			•

Custom colors available for all Cooley-Brite products.

The information contained herein or that is supplied by us, or on our behalf, is based upon data obtained through our own research and is considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data, the results obtained from the use thereof, or that any such use will not infringe upon any patent. This information is furnished upon the condition that the person receiving it shall evaluate its suitability for the specific application.

For further information, please contact Cooley Commercial Graphics: 401.724.9000 or cginfo@cooleygroup.com

