

# ENVIROFLEX® PE LATEX HI-RES

5.6 oz/yd<sup>2</sup> | 190 g/m<sup>2</sup>

## Applications:

Outdoor Advertising  
Banners  
POP Display  
Tradeshow Graphics

## Widths Available

Up to 126 in | 3.2 m

## Added Benefits:

PVC Free  
High Resolution  
Lightweight  
Recyclable  
Environmentally Friendly  
REACH Compliant

## Latex Printable



.....

**EnviroFlex® PE Latex Hi-Res** is a lightweight banner solution optimized and certified for high-resolution printing on wide-format latex printers, including HP's leading line of latex printers. This versatile, recyclable print media is ideal for indoor and outdoor banner applications, offering exceptional print quality and a lower carbon footprint than most PVC alternatives.

*For further information,  
please contact Cooley  
Commercial Graphics:*

Cooley Group  
50 Esten Avenue  
Pawtucket, RI 02860  
Tel: 401.724.9000  
Email: [cginfo@cooleygroup.com](mailto:cginfo@cooleygroup.com)  
[cooleygroup.com](http://cooleygroup.com)

5.6 oz/yd<sup>2</sup> | 190 g/m<sup>2</sup>

TECHNICAL DATA

Roll Widths <i>(custom widths available)</i>	
Standard	Metric
Up to 126 inches	Up to 3.2 m

Description	
Coating Type	Latex coated PE

Material Properties	ASTM Test Methods	Standard	Metric
Total Weight (nominal)		5.6 oz/yd <sup>2</sup>	190 g/m <sup>2</sup>
Tensile Strength, Grab	ASTM D751-A	75 x 65 lbs	334 x 289 N
Tensile Elongation, Grab	ASTM D751-A	11%	11%
Tear Strength, Tongue	ASTM D2261	9 x 10 lbs	40 x 44 lbs
Screwdriver Puncture	ASTM D751	30 lbs	133 N
Fungus Resistant	ASTM G21	Yes	
Weldable		Thermal	

Applications						
Backlit	Banner	Billboard	Blockout	Bldg Wrap	Displays	POP Display
	●					●

Ink Compatibility <i>(all inks must be tested for compatibility)</i>						
Solvent	Eco Solvent	UV	Latex	Dye Transfer	Dye Direct	Eradicable
			●			

Certified for  
HP Latex Inks

The information contained herein or that is supplied by us, or on our behalf, is based upon data obtained through our own research and is considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data, the results obtained from the use thereof, or that any such use will not infringe upon any patent. This information is furnished upon the condition that the person receiving it shall evaluate its suitability for the specific application.

For further information, please contact Cooley Commercial Graphics:  
401.724.9000 or [cginfo@cooleygroup.com](mailto:cginfo@cooleygroup.com)